

984

© CourseSmart

CourseSmart - Instructors - Print

Page 2 of 6

User name: Constantine Tarawneh

Book: Mechanics of Materials, 7th Edition Page: 985

985

No part of any book may be reproduced or transmitted by any means without the publisher's prior permission. Use (other than qualified fair use) in violation of the law or Terms of Service is prohibited. Violators will be prosecuted to the full extent of the law.

APPENDIX G Deflections and Slopes of Beams

 $v = -\frac{qbx^2}{12EI}(3L + 3a - 2x)$ $(0 \le x \le a)$ 3 $v' = -\frac{qbx}{2EI}(L+a-x) \qquad (0 \le x \le a)$ $v = -\frac{q}{24EI}(x^4 - 4Lx^3 + 6L^2x^2 - 4a^3x + a^4) \qquad (a \le x \le L)$ $v' = -\frac{q}{6EL}(x^3 - 3Lx^2 + 3L^2x - a^3) \qquad (a \le x \le L)$ At x = a: $v = -\frac{qa^2b}{12EI}(3L+a)$ $v' = -\frac{qabL}{2EI}$ $\delta_B = \frac{q}{24EI}(3L^4 - 4a^3L + a^4) \qquad \theta_B = \frac{q}{6EI}(L^3 - a^3)$ $v = -\frac{Px^2}{6FI}(3L - x)$ $v' = -\frac{Px}{2FI}(2L - x)$ P 4 $\delta_B = \frac{PL^3}{3EI} \qquad \theta_B = \frac{PL^2}{2EI}$ $v = -\frac{Px^2}{6EI}(3a - x) \qquad v' = -\frac{Px}{2EI}(2a - x) \qquad (0 \le x \le a)$ 5 $v = -\frac{Pa^2}{6EI}(3x - a)$ $v' = -\frac{Pa^2}{2EI}$ $(a \le x \le L)$ At x = a: $v = -\frac{Pa^3}{3EI}$ $v' = -\frac{Pa^2}{2EI}$ $\delta_B = \frac{Pa^2}{6EI}(3L - a) \qquad \theta_B = \frac{Pa^2}{2EI}$ $v = -\frac{M_0 x^2}{2EI} \qquad v' = -\frac{M_0 x}{EI}$ M_0 $\delta_B = \frac{M_0 L^2}{2EI} \qquad \theta_B = \frac{M_0 L}{EI}$

(Continued)

© CourseSmart

Copyright 2009 Cengage Learning, Inc. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part.

http://instructors.coursesmart.com/print?xmlid=9780534553975/984&imagep... 6/8/2010

User name: Constantine Tarawneh

Book: Mechanics of Materials, 7th Edition Page: 986


No part of any book may be reproduced or transmitted by any means without the publisher's prior permission. Use (other than qualified fair use) in violation of the law or Terms of Service is prohibited. Violators will be prosecuted to the full extent of the law.

986 APPENDIX G Deflections and Slopes of Beams

987

User name: Constantine Tarawneh Book: Mechanics of Materials, 7th Edition Page: 987 No part of any book may be reproduced or transmitted by any means without the publisher's prior permission. Use (other than qualified fair use) in violation of the law or Terms of Service is prohibited. Violators will be prosecuted to the full extent of the law.

APPENDIX G Deflections and Slopes of Beams



(Continued)

User name: Constantine Tarawneh

Book: Mechanics of Materials, 7th Edition Page: 988

No part of any book may be reproduced or transmitted by any means without the publisher's prior permission. Use (other than qualified fair use) in violation of the law or Terms of Service is prohibited. Violators will be prosecuted to the full extent of the law.

988 APPENDIX G Deflections and Slopes of Beams $v = -\frac{Px}{48EI}(3L^2 - 4x^2)$ $v' = -\frac{P}{16EI}(L^2 - 4x^2)$ $\left(0 \le x \le \frac{L}{2}\right)$ 4 $\delta_C = \delta_{\max} = \frac{PL^3}{48FI} \qquad \theta_A = \theta_B = \frac{PL^2}{16FI}$ $v = -\frac{Pbx}{6LEI}(L^2 - b^2 - x^2)$ $v' = -\frac{Pb}{6LEI}(L^2 - b^2 - 3x^2)$ $(0 \le x \le a)$ 5 $\theta_A = \frac{Pab(L+b)}{6LEI}$ $\theta_B = \frac{Pab(L+a)}{6LEI}$ If $a \ge b$, $\delta_C = \frac{Pb(3L^2 - 4b^2)}{48EI}$ If $a \le b$, $\delta_C = \frac{Pa(3L^2 - 4a^2)}{48EI}$ If $a \ge b$, $x_1 = \sqrt{\frac{L^2 - b^2}{3}}$ and $\delta_{\max} = \frac{Pb(L^2 - b^2)^{3/2}}{9\sqrt{3} LEI}$ $v = -\frac{Px}{6EI}(3aL - 3a^2 - x^2) \qquad v' = -\frac{P}{2EI}(aL - a^2 - x^2) \qquad (0 \le x \le a)$ 6 $Con v = -\frac{Pa}{6EI}(3Lx - 3x^2 - a^2) \qquad v' = -\frac{Pa}{2EI}(L - 2x) \qquad (a \le x \le L - a)$ ---- $\delta_C = \delta_{\max} = \frac{Pa}{24FI}(3L^2 - 4a^2) \qquad \theta_A = \theta_B = \frac{Pa(L-a)}{2FI}$ $v = -\frac{M_0 x}{6LEI} (2L^2 - 3Lx + x^2) \qquad v' = -\frac{M_0}{6LEI} (2L^2 - 6Lx + 3x^2)$ 7 $\delta_C = \frac{M_0 L^2}{16EI} \qquad \theta_A = \frac{M_0 L}{3EI} \qquad \theta_B = \frac{M_0 L}{6EI}$ 600 $x_1 = L\left(1 - \frac{\sqrt{3}}{3}\right)$ and $\delta_{\max} = \frac{M_0 L^2}{9\sqrt{3}EI}$ $v = -\frac{M_0 x}{24LEI}(L^2 - 4x^2)$ $v' = -\frac{M_0}{24LEI}(L^2 - 12x^2)$ $\left(0 \le x \le \frac{L}{2}\right)$ Mo 8 $\delta_C = 0 \qquad \theta_A = \frac{M_0 L}{24 E I} \qquad \theta_B = -\frac{M_0 L}{24 E I}$

© CourseSmart

User name: Constantine Tarawneh

Book: Mechanics of Materials, 7th Edition Page: 989

No part of any book may be reproduced or transmitted by any means without the publisher's prior permission. Use (other than qualified fair use) in violation of the law or Terms of Service is prohibited. Violators will be prosecuted to the full extent of the law.

